

#### SECTION 1 - PRODUCT AND COMPANY INFORMATION

Product Name: Product Use: Supplier Name and Address: : Precision Persuade

: Automatic High Temperature Dish Detergent : Corporate Facility Supply 7 Neilson Street

St. Catharines, ON L2M 5V9

Telephone: Emergency Telephone: : (905) 682-8888 : CANUTEC (613) 996-6666

### **SECTION 2 - HAZARD IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

Physical State: GHS Classification: Skin Irritation: Eye Irritation: Acute Toxicity: GHS Label Elements: Hazard Pictograms Liquid

Category 1C Category 1 Category 1



Signal Word: Hazard Statements:

**Precautionary Statements:** 

Potential Health Effects: Inhalation

Skin

Eyes Ingestion Aggravated Medical Condition Danger H302 Harmful if swallowed H312 Harmful in contact with skin H318 Causes serious eye damage Prevention P102 Keep out of reach of children P262 Do not get in eyes, on skin, or on clothing P284 In case of inadequate ventilation wear respiratory protection Response P302 IF ON SKIN: Flush with plenty of water for at least 15 minutes P305 IF IN EYES: Flush with plenty of water for at least 15 minutes P332+P313 If skin irritation persists, get medical attention : Strongly irritating to the eyes, nose, throat and lungs. High concentration of vapours will cause irritation. Similar effects with misting the product. : Dangerous in case of skin contact. Causes burns. Symptoms may be delayed. : Contact can result in tissue damage. : Harmful or fatal if swallowed.

: None known



Symptoms of Overexposure

## SAFETY DATA SHEET Precision Persuade

: See section 11.

## SECTION 3 - COMPOSITION/ INFORMATION ON INGREDIENTS

### HAZARDOUS INGREDIENTS

Chemical Name	CAS-No.	Concentration [%]	Trade Secret
Sodium Hypochlorite	7681-52-9	5-10	*
Sodium Xylene Sulfonate	1300-72-7	1-5	*
Sodium Hydroxide	1310-73-2	5-10	*

#### \*The exact percentage is withheld as a trade secret

SECTION 4 - FIRST-AID MEASURES

General Advice	: Move out of dangerous area Consult a physician
Inhalation	Show this Safety Data Sheet to the doctor in attendance : Move victim to fresh air. Give artificial
	respiration only if breathing has stopped. Give cardiopulmonary resuscitation (CPR) if there is no breathing and no pulse. Obtain
Skin Contact	medical attention immediately. : Immediately flush with cool water for 15 minutes while removing contaminated clothing and shoes. Discard or wash well
	before reuse. Seek medical attention if irritation develops/persists.
Eye Contact	: If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens. Get medical attention if irritation develops and persists. Rinse with water. Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Seek medical attention if irritation
Ingestion	develops. : Do not induce vomiting. Rinse mouth with water then drink one or two glasses of water. Seek medical attention, or contact poison control centre immediately. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness or is convulsing. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. IF SWALLOWED: immediately call a POISON
	CENTRE or doctor/physician.

### SECTION 5 - FIRE-FIGHTING MEASURES

Suitable extinguishing media Specific hazards arising from the chemical Special protective actions for fire-fighters Additional advice : Alcohol foam, carbon dioxide, dry chemical

- : None known
- : None
- : None



SECTION 6 - ACCIDENTAL RELEASE MEASURES	
---	--

Personal precautions Environmental precautions	: Wear appropriate protective equipment. : Prevent entry into sewers or streams. Dike if needed. The bacteria and carriers are naturally occurring and should	
Methods and materials for containment/ cleaning up Additional advice	not pose an environmental risk. : Vacuum or sweep up avoiding generation of mist. Place in suitable labeled containers and hold for waste disposal. Wash spill site with water. : None	
SECTION 7 -	HANDLING AND STORAGE	
Precautions for safe handling Conditions for safe storage	<ul> <li>Use of nitrile gloves and eye protection is optional.</li> <li>Keep out of reach of children. Do not freeze. Store in a closed container away from incompatible materials as provided in Section 10.</li> </ul>	
Other data	: Do not freeze.	
SECTION 8 - EXPOSURE CONTROLS/ PERSONAL PROTECTION		
Control parameters Engineering Controls	: Not available : Normal building ventilation is adequate. Ensure that eyewash stations and safety showers are close to the workstation location	
Personal Protective Equipment		
Eye/face protection	: Safety glasses with side shields when there is potential for eye contact. Face shield also recommended for handling	
Hand protection Skin protection	large amounts. Contact lenses should not be worn : Nitrile or rubber gloves are recommended : Protective coveralls or thick clothing that covers exposed	
Respiratory protection	skin : Wear a NIOSH/MSHA approved air-purifying respirator equipped with chlorine cartridges when vapours reach high levels	
Hygiene measures	<ul> <li>Handle in accordance with good industrial hygiene and safety practice</li> <li>When using do not eat or drink</li> <li>When using do not smoke</li> <li>Wash hands before breaks and at the end of the workday.</li> </ul>	

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	: Clear liquid
Odor:	: Slightly pungent
Odor Threshold:	: Not available
pH:	: 11
Melting point/ freezing point:	: Not available
Initial boiling point and boiling range:	: Not available
Flash point:	: Not available
Evaporation rate:	: Not available
Flammability (solid, gas):	: Not available
Upper/lower flammability or explosive limits:	: Not available
Vapour pressure:	: Not available
Vapour density:	: Not available
Relative density (g/mL):	: 1.06



Water solubility: Solubility in other solvents: Partition coefficient: n-octanol/water: Auto-ignition temperature: Decomposition temperature: Viscosity:

- : Not available : Not available
- : Not available
- : Not available
- : Not available
- : As water

## SECTION 10 - STABILITY AND REACTIVITY

Reactivity Chemical Stability Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous decomposition products : Product is stable

- : Stable under normal conditions
- : Hazardous decomposition products are not known
- : Avoid contact with oxidizing chemicals.
- : Strong oxidizing agents
- : Not available

## SECTION 11 - TOXICOLOGICAL INFORMATION

**Product Information** : Not available Acute toxicity Skin Corrosion/Irritation : Not available Serious eye damage/irritation : Not available Respiratory or skin sensitization : Not available Germ cell mutagenicity : Not available Carcinogenicity : Not available Reproductive toxicity : Not Available STOT-single exposure : Not available STOT-repeated exposure : Not available Aspiration hazard : Not available **Toxicology Data for Ingredients** Sodium Hypochlorite : LD50 oral, mouse: 5800 mg/kg Acute toxicity LC50 Not available Skin irritation : Contact with skin may also cause vesicular eruptions and eczematoid dermatitis which becomes evident upon reexposure. Prolonged or repeated eye contact may cause conjunctivitis. : Eye contact may also cause corneal and conjunctival Eye irritation hemorrhages. : Inhalation causes slight to severe respiratory tract irritation Sensitization and delayed pulmonary edema. Prolonged or repeated inhalation may cause allergic respiratory reaction (asthma). : Very hazardous in case of skin contact (irritant), of Other ingestion. Hazardous in case of skin contact (corrosive), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer, lung corrosive). May affect genetic material (mutagenic) (Sodium hypochlorite) Can cause severe irritation and possible burns to skin and eyes. Ingestion can cause burns to the digestive tract. Symptoms may include: 1. Pain and inflammation of the mouth, pharynx, esophagus, and stomach. 2. Erosion of the mucous membranes (chiefly of the stomach), nausea, vomiting, choking, coughing, hemorrage. 3. Circulatory collapse with cold and clammy skin (due to methemoglobinemia), cyanosis, and shallow respirations. 4. Confusion, delirium, coma. 5. Edema of the pharynx, glottis,



Acute toxicity

Skin irritation

Eye irritation

Sensitization

Skin irritation

Eve irritation Sensitization

Sodium Hydroxide Acute toxicity

Other

Sodium Xylene Sulfonate

# SAFETY DATA SHEET **Precision Persuade**

larynx with stridor and obstruction. 6. Performation of the esophagus, or stomach, with mediastinitis or peritonitis.

- : LD50 dermal, rabbit: >2000 mg/kg LD50 oral, rat: 7200 mg/kg LC50 Not available
- : Causes skin irritation
- : Irritating to eyes
- : Not available

: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. This product is not expected to cause reproductive or developmental effects.

- : LD50 intraperitoneal, mouse: 40 mg/kg LC50 Not available
- : rabbit: 500 mg/ 24 hours, severe
- : rabbit: 400 ug mild; 1% eyes, severe
- : Not available

### SECTION 12 - ECOLOGICAL INFORMATION

## **Product Information:**

Toxicity:

Persistence and degradability: Bioaccumulative potential: Mobility in soil: Other adverse effects: **Toxicology Data for Ingredients:** Sodium Hypochlorite Toxicity:

Persistence and degradability: Bioaccumulative potential: Mobility in soil: Other adverse effects:

## Sodium Xylene Sulfonate

Toxicity:

Persistence and degradability: Bioaccumulative potential: Mobility in soil: Other adverse effects: Sodium Hydroxide Toxicity:

Persistence and degradability: Bioaccumulative potential: Mobility in soil: Other adverse effects:

: Strongly alkaline. May cause damage to aquatic life.

: Not available

- : Not available
- : Not available
- : Not available
- : LC50 Not available
- LC50 Not available
- : Not available
- : Not available
- : Not available

: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise. The product itself and its products of degradation are not toxic.

- : EC50 algae: >=230 mg/kg, 72 hours EC50 daphnia: >=1000 mg/L, 48 hours LC50 fish: >=1000 mg/L, 96 hours : Readily biodegradable : Not available : Not available
- : None
- : LC50 Not available
- LC50 Not available
- : Not available
- : Not available
- : Not available

: Slightly toxic to aquatic organisms on an acute basis. (LC50, EC50 between 10 and 100mg per litre in species tested)



SECTION 13 - 1	DISPOSAL CONSIDERATIONS		
Product	: Sanitary sewer or dry absorbent if available. For large quantities, contact local environmental department or government authorities Do not dispose in drains, waterways, or soil Do not contaminate ponds, or ditches with chemical or the used container		
SECTION 14-	TRANSPORT INFORMATION		
UN Number UN Proper Shipping Name Transport hazard class(es) Packing group, if applicable Environmental hazards Special precautions for user Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	: Not available : Not applicable		
WHMIS Status	: Not known		
WHMIS classification	: Class E		
SECTION 16 - OTHER INFORMATION			
Prepared by: Technical Services Telephone number: (905) 682-8888	Preparation date: January 2018		

NOTICE: The data and information presented herein are based upon tests, research and reports which are considered by us to be reliable and believed to be accurate. The data and information are presented without warranty, guarantee or liability on our part, and are presented to the customer for his own consideration, investigation and verification. If user requires independent information on ingredients in this or any other material, we recommend contact with Canadian Centre for Occupational Health and Safety (CCOHS) in Hamilton, Ontario (905 572-4400)